





Why Jaquar Spas?

More economy

An array of energy efficient technologies make our spas more economical to run and easier to enjoy more often without worrying about power consumption.

Cleaner, healthier water

Unlike swimming pools, Jaquar spas don't use harsh chemicals that can be harmful for the skin. Our spas feature advanced water treatment technologies to ensure the cleanest, clearest water.

A superior experience

Jaquar spas have superior hydrotherapy performance and features that are usually reserved for the world's most expensive spas.

Guaranteed to last longer

Every Jaquar spa is hand crafted using industry-leading techniques and materials, which is why we can guarantee the spa shell for 10 years.

Easier to maintain

Jaquar spas give you the ultimate in easy care spa ownership without needing to spend much time on maintenance, or have a degree in chemistry to enjoy crystal clear water.

Features



Technologies that save energy and money

To let you enjoy using them without worrying about the power bill, Jaquar spas come with a whole range of energy efficient technologies.



Cabinet Insulation

Jaquar spas have insulation in the perimeter of their cabinets to maintain the warmth of the water, and the spa's plumbing and equipment, further reducing your energy costs.



Intelligent Thermal Regulation

Allows the spa to tune itself to its environment, day-to-day and season-to-season, thus reducing your heating costs by up to 20%.



Smart meter ready

Using Power Save software, Jaquar spas can be designed to do the filtering and heating when power costs are at their lowest. You can tailor the operation of your Jaquar spa to take advantage of smart meter technology and reduce your running costs.



Micro Filtration

The top priority is to remove waterborne contaminants.



Hydroflow jets

A Jaquar spa's hydroflow jets are designed to maximise jet pressure and provide a world-class hydrotherapy experience giving different massage action in each seat.



Ergonomic design

Jaquar spas are designed to maximise your comfort. Jets are positioned to massage tired muscles. The controls are within easy reach. And relaxation comes automatically.



Easy to operate

Jaquar spa control systems are intuitive and easy to operate and offer maximum flexibility and control. The top side panel controls most functions with one touch of a button. More advanced controls can be accessed through the simple English menu functions.



Two lounger seats

To avoid arguments over who gets the spa's lounger (usually the most comfortable and most coveted seat in the spa), most Jaquar spas have two luxurious hydrotherapy loungers.



Individual pressure control

To ensure complete satisfaction for all, each seat in your Jaquar spa can be controlled with the seat's pressure control dial. In addition, most jets can be individually controlled, directing pressure to where you need it most.



Dynamic lighting options

Flood lighting, jet lights, backlit drink holders and water features, waterline illumination and access lighting can all be added to your Jaquar spa to enhance your experience. Lighting programs can be controlled using the spa's topside controller.



Neck therapy collar

Optional on most Jaquar models, the neck therapy collar incorporates jets specially designed to eliminate stress and tension carried in the neck and shoulder area.

Opt for the neck therapy collar to soothe away the stresses of your day.



Spa Health Indicator

Your Jaquar Spa is also equipped with an early warning 'Spa Health Indicator' light. This light comes on to indicate that the product needs service, maintenance or attention to verify any fault that may arise, and to prevent chances of damage.

POLARIS 2200 x 2200 x 900 (6 Seater)





JSP-WHT-SPAPOLARIS6S

POLARIS SPA with Stairs panel,

Thermic Cover

JETS:

5" Directional Jet	2
3.5" Directional Jet	2
3.5" Single rotating Jet	5
2" Directional Jet	31
2" Single rotating Jet	8
1" Circulation Jet	4
Air Jet	12
Fountain	3
Total	86

Rs. 10,90,000

Key features











High-density PU insulation foam on shell 25mm



Plumbing







Set & Forget Control System



Hydrotherapy recliners 2







Spa touch panel







Reinforced foot wall



Micro filteration





Foot jets



Moulded headrests



Individual pressure control



Underwater LED

Steps



Chromotherapy



Bluetooth music system



SS Frame







Filled Weight 1920 Kg



Water Capacity 1500 Litres



SPA Controller System Balboa



Circulation pump 1x0.35HP



Jet Pump 2X3 hp



Air Blower 1X700W



Variable output heater 3kw



Power supply 220V/50-60Hz or 380V/50-60Hz

NUOVO 1950 x 1400 x 750 (2 Seater)





JSP-WHT-SPANUOVO2S

NUOVO SPA with Headrest, Stairs panel, and High Density Lockable Spa Cover

JETS:

3.5" single rotating jets 4
2" direct jets 30
1" direct jets 4
Air jets 8
1" circulation jets 3
Total 49

Rs. 7,55,000

Key features



Heat-releasing grills 2pcs



Perimeter insulation



High-density PU insulation foam on shell 25mm



Plumbing



Ozone and UV



Set & Forget Control System



Underwater LED



Hydrotherapy Adjustable recliners 2 aromatherapy



Spa touch panel







Reinforced foot wall



Micro filteration



Foot jets



Moul headr



Moulded headrests



Individual pressure control



Steps



Chromotherapy



Bluetooth music system



SS Frame



Dry Weight 215 Kg



Filled Weight 735 Kg



Water Capacity 520 Litres



SPA Controller System Balboa



Circulation pump 1x0.35HP



Jet Pump 1X3 hp



Air Blower 1X400W



Variable output heater 3kw



Power supply 220V/50-60Hz or 380V/50-60Hz

BREVA 2000 x 2000 x 900 (5 Seater)





JSP-WHT-SPABREVA5S

BREVA SPA with

Stairs panel, Thermic Cover

JETS:

3" Rotating Jet	3
2.5" Directional Jet	4
2" Directional Jet	28
3" Spinning Jet	1(
1" Direct Jet	4
1" Straight Jet	4
1" Circulation Jet	4
Air Jet	12
Fountain	3
Total	69

Rs. 9,45,000

Key features



Fountain jets



Perimeter insulation



High-density PU insulation foam on shell 25mm



Plumbing



Ozone and UV



Set & Forget Control System



Underwater LED



Hydrotherapy recliners 2



aromatherapy

Spa to





Ozone and UV filtration



Reinforced foot wall



Micro filteration



Foot jets



Moulded headrests



Individual pressure control



Steps



Chromotherapy



Bluetooth music system



Specifications



Dry Weight 350 Kg



Filled Weight 1380 Kg



Water Capacity 1030 Litres



SPA Controller System Balboa



Circulation pump 1x0.35HP



Jet Pump 1X3 hp



Air Blower 1X700W



Variable output heater 3kw



Power supply 220V/50-60Hz or 380V/50-60Hz

Hydrozone 5930 x 2300 x 1300 (5 Seater)



WSP-WHT-SPA5S590VX

Hydrozone Swim Spa with Stairs panel, Hard Cover

JETS:

5" Directional Jets	2
5" Single Hole Spinning Jets	5
3" Directional Jets	6
3" Spinning Jets	S
2" Directional Jets	14
2" Spinning Jets	12
Air Jets	16
Water Cascade Jets	2
Swim Jets	4
Laminar Jets	6
Total	7

Rs. 29,00,000

Key features







Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



UV sterilising system



Set & forget control system



Programmable multi-colour spa light



Hydrotherapy recliners



Adjustable aromatherapy



topside controls



Ozone filtration



Reinforced foot wall



Micro filteration



Dual controls



Moulded headrests



Steps



Dry weight 1382kg



Filled weight 9902kg



Water capacity spa 1530 litres swim 7030 litres



Spa controller sv4+sv2



Programmable circulation pump 250w x 2



Jet pump(s) 2.5hp x 5



Variable speed air blower 700w



Variable output heater 6kw/3kW



Electrical requirements max 60 amps

Aquagym Max Extreme 4490 x 2310 x 1300 (4 Seater)



WSP-SLV-SPA4S449VX

Aquagym Max Extreme with Stairs panel, Thermic Cover

JETS:

5" Directional Jet	2
5" Single Hole Spinning Jet	3
3" Directional Jet	8
3" Spinning Jet	1
2" Directional Jet	2
2" Spinning Jet	1
Air Jet	1
Water Cascade Jet	1
Laminar Jet	4
Swim Jet	4
Total	8

Rs. 23,20,000

Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



UV sterilising system



Set & forget control system



Programmable multi-colour spa light



Hydrotherapy recliners



Adjustable aromatherapy



topside controls



Ozone filtration



Reinforced foot wall



Micro filteration





Moulded headrests



Individual pressure control



Steps



Dry weight 1052kg



Filled weight 9152kg



Water capacity 8100 litres



Spa controller sv4



Programmable circulation pump 250w



Jet pump(s) 2.5hp x 4



Variable speed air blower 700w



Variable output heater 6kw



Electrical requirements max 45 amps

Aqua Swim 4490 x 2300 x 1300



WSP-SLV-AQUASWIM13TP

Jaquar aqua swim top with swim jets, chromotherapy & uv filtration system

JETS:

Swim Jets 2 Total Jets 2

Rs. 14,91,000

Key features



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



UV sterilising system



Set & forget control system



Ozone filtration



Reinforced foot wall



Micro filteration



Digital Powerful and Control panel efficient pumps

Spa-hydroglow



Programmable multi-colour spa light



Spa controller svm 2



Dry weight 696kg



Water capacity



Filled weight 7496kg



Electrical requirements max 32 amps



Jet pump(s) 2.5hpx2



Programmable circulation pump 250w



Variable output heater 3kW

Palladium 3520 x 2290 x 920 (9 Seater)



WSP-SLV-SPA8S3520VX

Palladium Spa with Stairs panel, Hard Cover

JETS:

5" Directional Jet 6 5" Single Hole Spinning Jet 14 3" Directional Jet 12 3" Spinning Jet 2 2" Directional Jet 24 2" Spinning Jet 8 Air Jet 22 Water Cascade Jet Laminar Jet 4 Total 93

Rs. 16.50.000

Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



UV sterilising system



Set & forget control system



Adjustable aromatherapy



Illuminated topside controls



Ozone filtration



Reinforced foot wall



Micro filteration



Foot jets



Programmable multi-colour Spa light



Moulded headrests



Individual seat pressure control



Neck therapy collar





Dry weight 490kg



Filled weight 4090kg



Water capacity 3600 litres



Spa controller sv3



Programmable circulation pump 250w



Jet pump(s) 2.5hp x 2



Variable speed air blower 700w



Variable output heater 6kW



Electrical requirements max 40 amps

Xenon 2300 x 2300 x 920 (6 Seater)



WSP-SLV-SPA7S2340VX

Xenon Spa with Stairs panel, Hard Cover

JETS:

5" Double Hole Spinning Jets 2
5" Single Hole Spinning Jets 4
3" Directional Jets 4
2" Directional Jets 4
2" Spinning Jets 8
Air Jets 20
Water Cascade Jets 1
Laminar Jets 2
Total 45

Rs. 10,00,000

Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Purezone UV sterilising system



Set & forget control system



Programmable multi-colour spa light



Adjustable aromatherapy



Illuminated topside controls



Ozone filtration



Reinforced foot wall



Micro filteration



Moulded headrests



Foot jets



Wine cooler



Child seat



Individual seat pressure control



Steps



Hydrotherapy Recliners



Dry weight 334kg



Filled weight Water capacity 1534kg 1200 litres



Spa controller



Programmable circulation pump 250w



Jet pump(s) 2.5x1 hp



Variable speed air blower 700w



Variable output heater 3kW



Electrical requirements max 15 amps

Nirvana 2150 x 2150 x 920 (5 Seater)



WSP-SLV-SPANIRWANA

Nirwana Spa (5 seater), with Stairs panels & Hard Cover

JETS:

3" Directional Jet 7
3" Spinning Jet 8
Air jet 10
Total Jets 25

Rs. 9,00,000

Key features







Perimeter insulation



Thermobond 4 layer shell construction



Duraflex Plumbing



UV sterilising system



Set & forget control system



Multi-colour spa light



Ozone filtration



Steps



Dry weight 320kg



Filled weight 1320kg



Water capacity 1000 litres



Spa controller sv2



Jet pump(s) 2.5x1 hp



Variable speed air blower 700w



Electrical requirements max 15 amps



Programmable circulation pump 250w



Variable output heater 3kW

Mercury 2000 x 2000 x 920 (5 Seater)



WSP-SLV-SPA5S1990VX

Mercury Spa with Stairs panels, Hard Cover

JETS:

5" Single Hole Spinning Jets 4
3" Directional Jets 8
2" Spinning Jets 4
2" Directional Jets 14
Air Jets 16
Water Cascade Jet 1
Laminar Jets 2
Total 49

Rs. 9,36,000

Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



UV sterilising system



Set & forget control system



Multi-colour Spa light



Hydrotherapy Recliners



Aromatherapy



Illuminated topside controls



Ozone filtration



Reinforced foot wall



Micro filteration



Foot jets Ne



Neck therapy collar



Moulded headrests



Individual seat pressure control





Dry weight 292kg



Filled weight 1292kg



Water capacity 1000 litres



Spa controller



Programmable circulation pump 250w



Jet pump(s) 2.5x1 hp



requirements max 15 amps



Variable speed air blower 700w



Variable output heater 3kW

Neon 2060 x 1690 x 820 (3 Seater)



WSP-SLV-SPA3S2060VX

Neon Spa, with Stairs, Panels, Hard Cover

JETS:

5" Single Hole Spinning Jet 3" Spinning Jet 4 2" Directional Jet 10 2" Spinning Jet 18 Volcano Jet 1 Air Jet 16 Water Cascade Jet 1 Laminar Jet 2 54 Total

Rs. 9,33,000

Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex Plumbing



UV sterilising system



Set & forget control system



Multi-colour spa light



Hydrotherapy recliners



Aromatherapy



Illuminated topside controls



filtration



Micro filteration



Foot jets



Moulded headrests



Individual seat pressure control



Steps



Dry weight 254kg



Filled weight Water capacity 854kg 600 litres



Spa controller sv2



Jet pump(s) 2.5x1 hp



Variable output heater 3 kW



Electrical requirements max 15 amps



Variable speed air blower 700w

Avante 1870 x 1280 x 740 (2 Seater)



WSP-SLV-SPAAVANTE

Spa Avante Top with Hardcover and Panels

JETS:

3" Directional Jets 8
2" Directional Jets 8
Total 16

Rs. 7,18,000

Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



UV sterilising system



Set & forget control system



Multi-colour spa light



recliners

Aromatherapy



Ozone filtration







Micro filteration



Moulded headrests



Dual controls



Individual seat pressure control



Wifi enabled



Bluetooth music system



Dry weight 179kg



Filled weight 779kg



Water capacity 600 litres



Spa controller sv2



Jet pump(s) 2 hp



Electrical requirements max 15 amps



Variable output heater 3 kW

Gemini 2100 x 1100 x 740 l (2 Seater)



WSP-SLV-SPANF2001X

Gemini Spa with Stairs panels, Hard Cover

JETS:

5" Directional Jet 3" Directional Jet 3" Spinning Jet 4 Water Cascade Jet Total Jets 10

Rs. 6.00.000

Key features



Thermoclad



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Underwater Led light



Backlit drink Holders



Chromo cascade grab bar



UV sterilising system



Set & forget control system



Multi-colour Spa light





Aromatherapy



Illuminated topside controls



Ozone filtration



Reinforced foot wall



Skimmer





Dry weight 167kg



Filled weight 467kg



Water capacity 300 litres



Spa controller gecko



Jet pump(s) 2.5x1 hp



Variable output heater 1.3kW



Electrical requirements max 15 amps

Fisher 2 1650 x 1650 x 740 (2 Seater)



WSP-SLV-SPAFISHER

Fisher 2 Spa with Stairs panels, Hard Cover

JETS:

3" Directional Jet 8
2" Directional Jet 8
Total Jets 16

Rs. 6,56,000

Key features







Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



UV sterilising system



Set & forget control system



Multi-colour spa light



Ozone filtration



Moulded headrests





Dry weight 220kg



Filled weight 620kg



Water capacity



Spa controller



Jet pump(s) 2.5x1 hp



Variable output heater 3 kw



Electrical requirements max 15 amps

Jaquar Spas product features sheet

Product Name	Hydrozone	Gemini	Neon	Xenon	Mercury	Palladium	Aquagym Max Extreme	Aqua swim1300 top version	Fisher 2	Nirvana	Spa Avante
Size	593x230x130	210x110x74	206x169 x82	230x230x92	200x200x92	352x229x92	449x231x130	450x230x130	165x165x74	215x92	187x128x74
Dry Weight	1382kg	167kg	254kg	334kg	292kg	490kg	1052kg	696kg	220kg	320kg	179kg
Filled Weight	9902kg	467kg	854kg	1534kg	1292kg	4090kg	9152kg	7496kg	620kg	1320kg	779kg
Water Capacity	Spa 1530 ltr, Swim 7030ltr	300 litres	600 litres	1200 litres	1000 litres	3600litres	8100 litres	6800 litres	400 litres	1000 litres	600litres
Spa Controller	SV4 + SV2	Gecko	SV2	SV2	SV2	SV3	SV4	SV M2	SV2	SV2	SV2
Programmable Circulation Pump	250 WX2	X	250 W	250W	Х	250W	Х				
Variable Speed Air Blower	700W	X	700W	700W	700W	700W	700W	X	Χ	700W	X
Jet Pump(s)	2.5 hp x 4, 2.5hp x 1 or (2.5 hp x 5)	2.5 hp x 1	2.5 hp x 1	2.5x1 hp	2.5x1 hp	2.5 hp x 2	2.5 hp x 4	2.5 hp x 2	2.5 hp 2speed x 1	2.5 hp x 1	2 hp 2speed x 1
Variable Output Heater	6 kW max/ 1.3 kW max	3 KW	3 KW	3kW	3kW	6KW	6KW	3KW	3KW max	3KW	3KW
Electrical Requirements	Max 60 amps	15 amps	15 amps	Max 15 amps	Max 15 amps	Max 40 amps	Max 45 amps	Max 32 amps	15 amps	15 amps	15 amps
5" Directional Jet	2	1	Χ	Х	Х	6	2	X	Χ	X	Х
5" Double hole spinning Jet	X	Х	Χ	2	X	X	0	X	Χ	Χ	X
5" Single Hole Spinning Jet	5	X	2	4	4	14	3	X	Χ	X	X
3" Directional Jet	6	4	Χ	4	8	12	8	X	8	7	8
3" Spinning Jet	9	4	4	X	X	2	10	X	Χ	8	X
2" Directional Jet	14	Χ	10	4	14	24	24	X	8	Χ	8
2" Spinning Jet	12	X	18	8	4	8	16	X	Χ	X	X
Air Jet	16	X	16	20	16	22	14	X	Χ	10	X
Water Cascade Jet	2	1	1	1	1	1	1	X	Χ	Х	X
Swim Jet	4	Χ	Χ	X	X	X	4	2	Χ	X	X
Volcano Jet	X	X	1	Х	Х	Х	Х	X	Χ	Х	X
Laminar Jet	6	Χ	2	2	2	4	4	X	Χ	Χ	X
Set & Forget Control System	•	•	•	•	•	•	•	•	•	•	•
Thermo bond 4 layer shell construction	•	•	•	•	•	•	•	•	0	•	•
Reinforced Foot Wall	•	•	•	•	•	•	•	•	Χ	X	X
Child Seats & Wine Cooler	X	X	X	•	X	X	X	X	Χ	X	X
Programmable Circulation Pump	•	•	•	•	•	•	•	•	0	•	•

Note

Symbol indicate that particular feature is available in that product.
 X Symbol indicate that particular Feature is not available in that product.

		Jaqu	ıar Sp	oas p	rodu	ct fea	atures	shee	et		
Product Name	Hydrozone	Gemini	Neon	Xenon	Mercury	Palladium	Aquagym Max Extreme	Aqua swim1300 top version	Fisher 2	Nirvana	Spa Avante
Size	593x230x130	210x110x74	206x169 x82	230x230x92	200x200x92	352x229x92	449x231x130	450x230x130	165x165x74	215x92	187x128x74
Twin Accu-Pressure Seats	X	Χ	•	Х	X	•	Χ	X	Χ	Χ	X
Hydrotherapy Recliners	•	•	X	•	•	Х	•	Х	Х	Х	Х
Water Spout	X	Х	X	•	X	X	X	X	Χ	Χ	X
Dual Controllers	•	Х	X	X	X	X	X	X	Χ	X	X
Programmable	•	0	•	•	•	•	•	•	0	•	•
Multi-Colour Spa Light											
Moulded Headrests	•	•	•	•	•	•	•	X	•	Χ	•
Water Cascade	•	•	•	•	•	•	•	X	Χ	Х	X
Adjustable Aromatherapy		•	•	•	•	•	•	X	Χ	Χ	Х
Lockable Hard Cover (Thermic Cover)	•	•	•	•	•	•	•	•	•	•	•
Illuminated Topside Controls		•	•	•	•	•	•	X	Χ	Χ	X
Cup holder illumination	•	•	•	•	2	•	•	X	Χ	•	X
Individual Seat Pressure Controls	•	Х	•	•	•	•	•	Х	Х	Х	Х
Neck therapy collar	•	Х	Х	X	•	•	•	Х	Х	X	X
Intelligent thermal tuning	0		•	•	•	•	•	•		•	•
Perimeter Insulation	•	•	•	•	•	•	•	•	•	•	•
Duraflex plumbing	•	•	•	•	•	•	•	•	•	•	•
Frame	Steel Frame	plastic frame	plastic frame	plastic frame	plastic frame	Steel Frame	Steel Frame	Steel Frame	Timeber support Frame	Timeber support Frame	Timeber support Frame
Thermoclad cabinet	0	•	•	•	•	•	•	X	•	•	•
Base	FRP Base	ABS Base	ABS Base	ABS Base	ABS Base	FRP Base	FRP Base	Х	ABS Base	ABS Base	ABS Base
Water fall	X	•	X	X	X	X	X	X	Χ	Χ	X
Foot jet	•	Х	•	•	•	•	•	X	Х	X	•
Micro Filtration	•	Skimmer	•	•	•	•	•	•	Χ	Х	X
Ozone	•	•	•	•	•	•	•	•	•	•	•
UV	0	•	•	•	•	•	•	•	0	•	•
Clean up cycle	•	•	•	•	•	•	•	•	•	•	•
				Wa	rranty	Table)				
Shell Warranty	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 years
Structual Warranty	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years
Electrical Warranty	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 years
Jets Warranty	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 years

Note:

Symbol indicate that particular feature is available in that product.

X Symbol indicate that particular Feature is not available in that product.

		1 1	<u> </u>	duct feature			
Product Name	POLARIS	BREVA	NUOVO	Product Name	POLARIS	BREVA	NUOVO
Size	2200X2200X950	2000 x 2000 x 900	1950X1400X750 mm	Reinforced Foot Wall	•	•	•
Seater	6	5	2	Kiddies (Child) Seats & Wine	X	X	X
Dry Weight	420kg	350kg	215kg	Cooler	Χ	X	
Filled Weight	1920kg	1380kg	735kg	Twin Accu-Pressure Seats	1	2	2
Water Capacity	1500litres	1030litres	520litres	Hydrotherapy Recliners	Χ	X	X
Spa Controller	Balboa	Balboa	Balboa	Water Spout	X	X	
Programmable Circulation Pump	0.35HP	0.35HP	0.35HP	Dual Controllers	17	28	18
Variable Speed Air Blower	700W	700W	400W	Chromotherapy light	•	•	•
Jet Pump(s)	2 x 3hp	3hp	3hp	Headrests	X	X	X
Variable Output Heater	3kw	3kw	3kw	Water Cascade	•	•	•
Electrical Requirements	38 amps	15 - 29amps	27A or 13amps	Adjustable Aromatherapy	•	•	•
5" Directional Jet	2	X	X	Lockable Hard Cover (Thermic Cover)	•	•	•
5" Double hole spinning Jet	X	X	X	Illuminated Topside Controls	Χ	Х	X
5" Single Hole Spinning Jet	Х	X	X	Cup holder illumination	•	•	•
4" Directional Jet	X	X	X	Individual Seat Pressure Controls	•	•	•
3.5" Directional Jet	2	X	Χ	Neck therapy collar	•	•	•
3.5" Single rotating Jet	5	X	4	Intelligent thermal tuning	•	•	•
3" Directional Jet	X	X	Χ	Aluminium foil Insulation	Χ	X	X
3" Rotating Jet	Х	3	X	Duraflex plumbing	stainless steel	stainless steel	stainless steel
2.5" Directional Jet	X	4	Χ	Frame	insulated skirt/panel	insulated skirt/panel	insulated skirt/par
2" Directional Jet	31	25	30	Thermoclad cabinet	FRP Base	FRP Base	FRP Base
2" Single rotating Jet	8	X	X	Base	Χ	X	X
1" Direct Jet	X	4	4	Water fall	•	•	•
2" Spinning Jet	X	X	Χ	Foot jet	•	•	•
1" Straight Jet	Х	4	X	Pure zone Filtration	•	•	•
1" Circulation Jet	4	4	3	Ozone	•	•	•
Air Jet	12	12	8	UV	•	•	•
Water Cascade Jet	X	X	Χ	Clean up cycle	Χ	X	X
Fountain	3	3	Х	CD Compatibility	•	•	•
Swim Jet	Х	X	X	Bluetooth	•	•	•
Volcano Jet	Х	X	Х	Steps	2	2	2
Laminar Jet	Х	X	X	Heat releasing grille	2	2	1
Set & Forget Control System	•	•	•	Air Valve	1	1	1
Spa touch 2 panel	1	1	1	Skirt drain valve	•	•	•
	Warrant	y Table		Shell Construction	American Aristech	American Aristech	American Aristec
Product Name	POLARIS	BREVA	NUOVO		High-density PU	High-density PU	High-density PL
Shell Warranty	3 Years	3 Years	3 Years		insulation foam on	insulation foam on	insulation foam o
Structual Warranty	5 Years	5 Years	5 Years		shell: 25mm	shell: 25mm	shell: 25mm

5 Years

Jets Warranty

5 Years

5 Years

Symbol indicate that particular feature is available in that product.
 X Symbol indicate that particular Feature is not available in that product.